
70-D3B-2 | STANDARD 16MM (5/8IN) HIGH SPEED SEWING MACHINE



Description

The 70-D3B-2 BUTTED SEAM Sewing Machine from Merrow is the flagship butted seam machine for the wovens industry. With dozens of custom variations, the 70-D3B-2 is the most versatile and toughest sewing machine in the industry.

Stitch Samples



OPERATING SPEED 2250 RPM STITCH WIDTH 16MM (5/8") STITCH RANGE 101MM - 305MM (4-12 SPI) STANDARD NEEDLE MERROW 8SDT MERROW NEEDLE MERROW 3SDT - 8SDT FEDERAL STITCH TYPE 501 MOTOR REQUIRED* 1725 RPM, 60 Hz, 1/2 HP, 110 or 220 volts, 1 or 3 phase

SINGLE THREAD

70-D3B-2 Applications



NUMBER OF THREADS


The Advantage of the 70-D3B-2

Join Materials in a continuous process with a FLAT 16MM (5/8") Single Thread stitch at high-speed using the most dependable and servicable sewing machine on the planet.

Tested in the industry for 50 years and currently used in more than 10,000 factories around the world, the 70-D3B-2 is the most successful butt-seam sewing machine ever built

We have designed this machine specifically for the endwise joining of materials and The 70-D3B-2 has been constructed from the ground up to be Versatile, Adaptable, Servicable and Fast

Since 1838 Merrow has been designing and building sewing machines, and this is one of our best. We warranty it for 10 years, and know that it will likely last for more than 40!



the 70-D3B-2 (and variations) will sew: Woven Fabric, Knit Fabric, Terry Towel, Denim, Technical Textiles, and Nonwovens

the 70-D3B-2 (and variations) is used in the following processes: Continuous Bleaching, Mercerising, Scouring, Washing, Drying, Pad & Steam Dyeing, Printing, Steaming, Shrinking (Sanforizing), Finishing, Tubular Processing, Slitting & De-twisting, Heat Setting, Napping & Shearing, Singeing, Calendering

.....

The 70-D3B-2 has more than 350 variations, some of the most popular are:

NICKEL PLATED (for WET SEWING)	LOCKED STITCH
HIGH PILE FABRICS	WITH STITCH MULTIPLIER
RAILWAY MOUNTED	GAP SEAM